

Sample Document Using the Glossaries Package With Xindy

Nicola Talbot

November 18, 2012

1 Karl Friedrich Gauss

This is a section on Karl Friedrich Gauss. This section spans several pages.

This page talks about Gaussian integers. Since it's the principle definition, the user-defined hyperbfit format is used.

The section on Gauss ends here.

2 Series Expansions

This section is about series expansions. It mentions Colin Maclaurin and Brook Taylor. It also discusses Taylor's theorem which is related to the Taylor series. The Maclaurin series is a special case of the Taylor series.

3 Archimedes' principle

This section discusses Archimedes' principle which was introduced by Archimedes of Syracuse.

4 Another section

This section covers Ernst Mach who introduced the Mach number. It also mentions André-Marie Ampère after whom the SI unit ampere is named. It then discusses Sir Francis Galton and Thomas Robert Malthus. Finally it mentions John Loudon McAdam.

This page discusses Quinn McNemar who introduced McNemar’s test and Giuseppe Peano who discovered Peano’s curve.

Glossary

A

ampere

SI unit of electric current named after Ampère. Three

Ampère, André-Marie

French mathematician and physicist. Three, Four

Archimedes’ principle

Principle that if a body is submerged in a fluid it experiences upthrust equal to the weight of the displaced fluid. Named after Archimedes. Three

Archimedes of Syracuse

Greek mathematician. Three, Four

G

Galton, Sir Francis

English anthropologist. Three

Gauss, Karl Friedrich

German mathematician. One–Three

Gaussian integer

Complex number where both real and imaginary parts are integers. *Two*

Mc

McAdam, John Loudon

Scottish engineer. Three

Maclaurin series

Series expansion. Three–Five, *see* Taylor’s theorem

Maclaurin, Colin

Scottish mathematician best known for the Maclaurin series. Three

McNemar, Quinn

Mathematician who introduced McNemar’s test. This entry has the number list suppressed.

McNemar's test

A nonparametric test introduced by McNemar in 1947. Four

M**Mach number**

Ratio of the speed of a body in a fluid to the speed of sound in that fluid named after Mach. Three

Mach, Ernst

Czech/Austrian physicist and philosopher. Three, Five

Malthus, Thomas Robert

English mathematician, sociologist and classicist. Three

P**Peano, Giuseppe**

Italian mathematician. Four, Five

Peano's curve

A space-filling curve discovered by Peano. Four

T**Taylor series**

Series expansion. Three, *see* Taylor's theorem

Taylor, Brook

English mathematician. Three

Taylor's theorem

Theorem expressing a function $f(x)$ as the sum of a polynomial and a remainder:

$$f(x) = f(a) + f'(a)(x - a) + f''(a)(x - a)^2/2! + \cdots + R_n$$

If $n \rightarrow \infty$ the expansion is a Taylor series and if $a = 0$, the series is called a Maclaurin series. Three